

ELMARK[®]

The Brand of Electricity

METAL CONSUMER UNITS ZETA SERIES



TECHNICAL SPECIFICATION

METAL DISTRIBUTION BOARDS

ELMARK

The Brand of Electricity

Description:

The metal distribution boxes have wide range of application for mounting in buildings under construction or new communal objects, offices, shops, house facilities. Inside the box, could be mounted circuit elements for protection in the electrical installation. They are made of high quality electro-galvanized steel sheet and provide proper prevention from fire. They are shock-proof as well. The box is also equipped with zero and ground terminals.


Technical data:

- Material: High quality electro-galvanized steel sheet
- Modules: 30; 36; 45; 60; 72
- Steel thickness: 1,2mm
- Rated voltage In (A): 100A
- Mounting type: Surface
- Colour of body: White RAL7035
- Colour of door: White RAL7035
- IP code: IP40
- Fire resistance: 960°C/30s
- Humidity: Max.95%
- Storage temperature: -40+75°C



Zero and ground terminals included

Variants and dimensions:



TECHNICAL SPECIFICATION

METAL DISTRIBUTION BOARDS

ELMARK[®]

The Brand of Electricity

Type	Construction Material	No of ROWS	No of ways	Dimensions (mm)			Catalogue number
				L	W	H	
Zeta 30	Metal	2	30	428	428	110	55030
Zeta 36	Metal	2	36	482	428	110	55036
Zeta 45	Metal	3	45	428	578	110	55045
Zeta 60	Metal	4	60	428	728	110	55060
Zeta 72	Metal	4	72	482	728	110	55072

Standards:

- EN 60439-3

