

EL[®]MARK

The Brand of Electricity

SKY TFL



TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Technical data:

- Rated voltage: 230V/ 50-60Hz
- Power: 25W; 35W
- Power supply: Control gear; DC device- driver, included in the set
- Colour temperature: 3000K; 4000K; 6000K
- LED source: Epistar Taiwan
- Type of LED: COB
- Colour: White; Black;
- Body: Aluminium
- Beam angle: 38°
- Colour rendering index: Ra≥80
- Switch on/off: >20 000
- Long life: 30 000h
- Protection against dust and moisture: IP40



side view black

back view black

side view white

back view white

Features:

- Completely replace traditional lighting fixtures
- Pleasant and uniform light distribution
- Low power consumption
- Repeated switch on/off does not affect the lifespan
- Instant light with maximum luminous flux
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration-free body
- Low heat emission

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]

The Brand of Electricity

Area of application:

- Commercial sites
- Administrative buildings
- Banks
- Hospitals
- Schools
- Entertainment and leisure spots

Variants and Dimensions:

- **SKY TFL TWO LINES**



Catalogue number	Watt	Whole fixture lumens	Colour temp.	Size			Colour body	Beam angle	Packing/ Box
				(mm)					
	(W)	(lm)	(K)	Diameter	Length	Height			(pcs)
93FTL25WW/WH	25	2250	3000K	100	140	235	White	38°	1/20
93FTL25W/WH	25	2250	4000K	100	140	235	White	38°	1/20
93FTL25CW/WH	25	2250	6000K	100	140	235	White	38°	1/20
93FTL35WW/WH	35	3150	3000K	100	140	235	White	38°	1/20
93FTL35W/WH	35	3150	4000K	100	140	235	White	38°	1/20
93FTL35CW/WH	35	3150	6000K	100	140	235	White	38°	1/20

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK

The Brand of Electricity



Catalogue number	Watt	Whole fixture lumens	Colour temp.	Size (mm)			Colour body	Beam angle	Packing/ Box
				Diameter	Length	Height			
	(W)	(lm)	(K)						(pcs)
93FTL25WW/BL	25	2250	3000K	100	140	235	Black	38°	1/20
93FTL25W/BL	25	2250	4000K	100	140	235	Black	38°	1/20
93FTL25CW/BL	25	2250	6000K	100	140	235	Black	38°	1/20
93FTL35WW/BL	35	3150	3000K	100	140	235	Black	38°	1/20
93FTL35W/BL	35	3150	4000K	100	140	235	Black	38°	1/20
93FTL35CW/BL	35	3150	6000K	100	140	235	Black	38°	1/20

CONNECTOR TWO LINES RAILS



White: 93SKY01/W

Black: 93SKY01/BL

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK

The Brand of Electricity

■ SKY TFL FOUR LINES



Catalogue number	Watt	Whole fixture lumens	Colour temp.	Size			Colour body	Beam angle	Packing/ Box
				(mm)					
	(W)	(lm)	(K)	Diameter	Length	Height			(pcs)
934FTL25WW/WH	25	2250	3000K	100	140	235	White	38°	1/20
934FTL25W/WH	25	2250	4000K	100	140	235	White	38°	1/20
934FTL25CW/WH	25	2250	6000K	100	140	235	White	38°	1/20
934FTL35WW/WH	35	3150	3000K	100	140	235	White	38°	1/20
934FTL35W/WH	35	3150	4000K	100	140	235	White	38°	1/20
934FTL35CW/WH	35	3150	6000K	100	140	235	White	38°	1/20



Catalogue number	Watt	Whole fixture lumens	Colour temp.	Size			Colour body	Beam angle	Packing/ Box
				(mm)					
	(W)	(lm)	(K)	Diameter	Length	Height			(pcs)
934FTL25WW/BL	25	2250	3000K	100	140	235	Black	38°	1/20
934FTL25W/BL	25	2250	4000K	100	140	235	Black	38°	1/20
934FTL25CW/BL	25	2250	6000K	100	140	235	Black	38°	1/20
934FTL35WW/BL	35	3150	3000K	100	140	235	Black	38°	1/20
934FTL35W/BL	35	3150	4000K	100	140	235	Black	38°	1/20
934FTL35CW/BL	35	3150	6000K	100	140	235	Black	38°	1/20

TECHNICAL SPECIFICATION

INDOOR- SPOTLIGHTS

ELMARK[®]


The Brand of Electricity

CONNECTOR FOUR LINES RAILS




White: 93SKY03/W

Black: 93SKY03/BL

 **ELMARK**
lighting


93TLS503W/WH

 This luminaire contains built-in LED lamps.

A⁺⁺ } **L**
A⁺ } **E**
A } **D**

~~**B**~~
~~**C**~~
~~**D**~~
~~**E**~~

The lamps cannot be changed in the luminaire.

874/2012 

EN 55015 • EN 61000-3-2 • EN 61000-3-3 • EN 61547 • EN 60598-1 • EN 60598-2-2 • EN 61347-1 • EN 61347-2-13 • EN 13032-4



www.elmarkholding.eu