


LAMP PHOTOMETRIC REPORT

MODEL: 98Vega10Slim/WH		
POWER: 10W	VOLTAGE: 230V	WORKING VOLTAGE: 230V
MANUFACTURER: Elmark Industries JSC		

TOTAL FLUX: 902.45 lm



$\gamma$	C0	C45	C90	C135	C180	C225	C270	C315	$\gamma$	$\Phi$ zone	$\Phi$ total	%
10	338.4	338.3	337.9	337.3	336.6	336.7	337.4	337.9	0- 10	32.45	32.45	3.6
20	324.2	324.0	323.1	322.2	321.6	321.1	321.3	322.9	10- 20	93.59	126.0	14
30	298.9	298.8	297.7	296.6	295.7	294.8	295.0	297.1	20- 30	143.4	269.4	29.9
40	261.5	262.1	262.2	260.3	259.2	258.1	258.3	259.8	30- 40	175.0	444.5	49.2
50	212.7	213.2	197.3	211.9	211.4	210.5	205.1	211.1	40- 50	182.8	627.3	69.5
60	146.2	137.5	122.7	138.0	146.2	137.1	120.5	135.6	50- 60	154.6	781.9	86.6
70	61.37	54.77	34.95	54.34	64.00	58.18	35.57	54.80	60- 70	93.33	875.2	97
80	5.533	5.961	5.153	6.050	5.692	6.190	5.423	6.238	70- 80	25.28	900.5	99.8
90	0.3885	0.3605	0.3023	0.3515	0.3261	0.2884	0.2397	0.2916	80- 90	1.938	902.5	100
100									90-100			
110									100-110			
120									110-120			
130									120-130			
140									130-140			
150									140-150			
160									150-160			
170									160-170			
180									170-180			
DEG	LUMINOUS INTENSITY:cd									UNIT:lm		

C Range: 0 - 360DEG  
C Interval: 30.0DEG  
Test Speed: HIGH  
Temperature:25.3°C  
Operators:  
Test Date:08 July 2022

$\gamma$  Range: 0 - 90DEG  
 $\gamma$  Interval: 0.5DEG  
Test System:EVERFINE GO-2000A\_V1 SYSTEM V2.00.456  
Humidity:65.0%  
Test Distance:6.265m [K=1.0000]  
Remarks:

```

γ Range: 0 - 90DEG
γ Interval: 0.5DEG
Test System:EVERFINE GO-2000A_V1 SYSTEM V2.00.456
Humidity:65.0%
Test Distance:6.265m [K=1.0000]
Remarks:

```